

Commercial Building Code - Chapter 29, Section 2902  
Sanitary Facility Requirements

Patrons	Water Closets		Urinals	Lavatories	
	Male	Female		Male	Female
1-50	1	1	*	1	1
51-100	1	1	*	1	1
101-150	1	2	*	1	1
151-200	1	2	*	1	1
201-250	2	3	*	1	1
251-300	2	3	*	1	1
301-350	2	4	*	2	2
351-400	2	4	*	2	2
401-450	3	5	*	2	2
451-500	3	5	*	2	2

Divide patron number equally between male and female.

Male = 1 per 100

Female = 1 per 50

The number of patrons in the building code is calculated based on deck space and pool surface area. Accessibility requirements for unisex bathing facilities may apply to the pool design in addition to the table.

Public Swimming Pool Code – Comm 90  
Sanitary Facility Requirements

Patrons	Water Closets		Urinals	Lavatories	
	Male	Female		Male	Female
1-50	1	2	1	1	1
51-100	1	2	1	1	1
101-150	1	3	2	2	2
151-200	1	3	2	2	2
201-250	2	4	2	2	2
251-300	2	4	2	2	2
301-350	2	4	2	2	2
351-400	2	4	2	2	2
401-450	2	4	3	3	3
451-500	2	4	3	3	3

The number of patrons in the pool code is calculated based on pool surface area.